



*specialized*

HAND SPRAYER

# mini viton 500

500 | 1000

SPECIALIZED LINE

ACID

S071.102

HAND SPRAYER

S071.102

# mini | 500

**viton**

**500 | 1000**

## ACID


A small sprayer for big chemicals. **Mini Viton** is an ultra-light sprayer equipped with special seals resistant to acidic agents. It will be especially appreciated by professionals for whom failure-free operation is a real profit.

### PURPOSE

The main purpose of the sprayer is to apply active chemical agents for washing, disinfecting, and sanitizing. It is used, among others, in industry, in auto detailing companies, in car washes, and in pharmacy.

### USE

- cleaning windows
- cleaning with degreasing agents
- devices disinfection
- cleaning glass, windows, mirrors



NOZZLE WITH  
JET REGULATION



LIGHT  
WEIGHT

**specialized**

### CONTAINS

- Complete sprayer with regulated nozzle


### mini acid

**500**

Symbol	S071.102
Pojemność robocza [l]	0.50
Ciśnienie robocze [MPa]	nie dotyczy
Uszczelnienia	VITON
Gwarancja na zbiornik [lata]	5
Waga netto [kg]	0.10
Wymiary [mm]	113/110/220
Ilość w opakowaniu zbiorczym [szt.]	100
Ilość na paku [szt.]	1400
Wymiary kartonu zbiorczego [mm]	480/450/700
Kod EAN	5904235006187

more:

[marolex.eu/mini-viton-acid-sprayer](http://marolex.eu/mini-viton-acid-sprayer)





*specialized*

HAND SPRAYER

# mini | 1000

500 | 1000

SPECIALIZED LINE

ACID

S072.102





HAND SPRAYER

S072.102

# mini | 1000

**viton**

500 | 1000

## ACID

A small sprayer for big chemicals. **Mini Viton** is an ultra-light sprayer equipped with special seals resistant to acidic agents. It will be especially appreciated by professionals for whom failure-free operation is a real profit..

### PURPOSE

The main purpose of the sprayer is to apply active chemical agents for washing, disinfecting, and sanitizing. It is used, among others, in industry, in auto detailing companies, in car washes, and in pharmacy.

### USE

- cleaning windows
- cleaning with degreasing agents
- devices disinfection
- cleaning glass, windows, mirrors



**specialized**

### CONTAINS

- Complete sprayer with regulated nozzle

### mini acid

1000

Symbol	S072.102
Working capacity[l]	1.00
Working pressure[MPa]	nie dotyczy
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.12
Dimensions [mm]	118/115/275
Per collecting box [pcs.]	60
Per pallet [pcs.]	840
Collecting box dimensions [mm]	480/450/700
EAN code	5904235006194

more:

[marolex.eu/minи-viton-acid-sprayer](http://marolex.eu/minи-viton-acid-sprayer)





*specialized*

HAND PRESSURE SPRAYER

# industry ergo | 1000

**1000 | 1500 | 2000 | 3000**

SPECIALIZED LINE

ACID

S081.102



HAND PRESSURE SPRAYER

S081.102

# industry | 1000

1000 | 1500 | 2000 | 3000

## ACID

With the introduction of the **industry ergo** series, the industrial sector has gained an incredible tool. An acid-resistant sprayer that is also light and handy. You don't need anything more.

### PURPOSE

The main purpose of the **industry ergo** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- cleaning aluminium rims
- cleaning and maintenance of steel surfaces
- cleaning of glass surfaces
- cleaning and degreasing of all surfaces
- cleaning of car engines



specialized

### CONTAINS

- Complete sprayer with adjustable nozzle MR1.5 mm
- Additional adjustable nozzle MR1.0 mm
- User manual with warranty card

## industry ergo acid

1000

Symbol	S081.102
Working capacity[l]	1.00
Working pressure[MPa]	0.40
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.50
Dimensions [mm]	260/138/258
Per collecting box [pcs.]	12
Per pallet [pcs.]	585/455/280
Collecting box dimensions [mm]	288
EAN code	5904235006088

more:

[marolex.eu/industry-ergo-acid-sprayer](http://marolex.eu/industry-ergo-acid-sprayer)





*specialized*

HAND PRESSURE SPRAYER



# *industry* | **1500**

1000 | **1500** | 2000 | 3000

SPECIALIZED LINE

 **ACID**

S082.102





HAND PRESSURE SPRAYER

S082.102

# industry | 1500

**ergo**

1000 | **1500** | 2000 | 3000

## ACID

With the introduction of the **industry ergo** series, the industrial sector has gained an incredible tool. An acid-resistant sprayer that is also light and handy. You don't need anything more.

### PURPOSE

The main purpose of the **industry ergo** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- cleaning aluminium rims
- cleaning and maintenance of steel surfaces
- cleaning of glass surfaces
- cleaning and degreasing of all surfaces
- cleaning of car engines czyszczanie silników samochodowych



**specialized**

### CONTAINS

- Complete sprayer with adjustable nozzle MR1.5 mm
- Additional adjustable nozzle MR1.0 mm
- User manual with warranty card

### industry ergo acid

**1500**

Symbol	S082.102
Working capacity [l]	1.50
Working pressure [MPa]	0.40
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.51
Dimensions [mm]	260/150/276
Per collecting box [pcs.]	12
Per pallet [pcs.]	625/460/300
Collecting box dimensions [mm]	288
EAN code	5904235006095

more:

[marolex.eu/industry-ergo-acid-sprayer](http://marolex.eu/industry-ergo-acid-sprayer)





*specialized*

HAND PRESSURE SPRAYER



# *industry* | 2000

1000 | 1500 | **2000** | 3000

SPECIALIZED LINE

ACID

S083.102



HAND PRESSURE SPRAYER

S083.102

# industry | 2000

1000 | 1500 | **2000** | 3000

## ACID

With the introduction of the **industry ergo** series, the industrial sector has gained an incredible tool. An acid-resistant sprayer that is also light and handy. You don't need anything more.

### PURPOSE

The main purpose of the **industry ergo** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- cleaning aluminium rims
- cleaning and maintenance of steel surfaces
- cleaning of glass surfaces
- cleaning and degreasing of all surfaces
- cleaning of car engines czyszczenie silników samochodowych



**specialized**

### CONTAINS

- Complete sprayer with adjustable nozzle MR1.5 mm
- Additional adjustable nozzle MR1.0 mm
- User manual with warranty card

### industry ergo acid

**2000**

Symbol	S083.102
Working capacity[l]	2.00
Working pressure[MPa]	0.40
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.60
Dimensions [mm]	260/150/308
Per collecting box [pcs.]	12
Per pallet [pcs.]	600/475/325
Collecting box dimensions [mm]	288
EAN code	5904235006101

more:

[marolex.eu/industry-lite-acid](http://marolex.eu/industry-lite-acid)





*specialized*

HAND PRESSURE SPRAYER

# *industry* | 3000

1000 | 1500 | 2000 | **3000**

SPECIALIZED LINE

ACID

S084.102



HAND PRESSURE SPRAYER

S084.102

# industry | 3000

1000 | 1500 | 2000 | 3000

## ACID

With the introduction of the **industry ergo** series, the industrial sector has gained an incredible tool. An acid-resistant sprayer that is also light and handy. You don't need anything more.

### PURPOSE

The main purpose of the **industry ergo** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- cleaning aluminium rims
- cleaning and maintenance of steel surfaces
- cleaning of glass surfaces
- cleaning and degreasing of all surfaces
- cleaning of car engines



### specialized

### CONTAINS

- Complete sprayer with adjustable nozzle MR1.5 mm
- Additional adjustable nozzle MR1.0 mm
- User manual with warranty card

### industry ergo acid

3000

Symbol	S084.102
Working capacity[l]	3.00
Working pressure[MPa]	0.40
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.64
Dimensions [mm]	260/165/340
Per collecting box [pcs.]	9
Per pallet [pcs.]	505/500/360
Collecting box dimensions [mm]	189
EAN code	5904235006163

more:

[marolex.eu/industry-lite-acid](http://marolex.eu/industry-lite-acid)





*specialized*

PRESSURE SPRAYER

***industry*** ***lite*** | **5**

5 | 7 | 9

SPECIALIZED LINE

ACID

S 181.122

PRESSURE SPRAYER

S181.122

# industry **lite** | 5

5 | 7 | 9

## ACID

Sprayer **industry lite** is meant for the industry, workshops and car washes. They are also used to eliminate contamination, disinfection and disinfestation.

### PURPOSE

The main purpose of the **industry lite** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- washing and cleaning of rims and tires
- cleaning and degreasing of stainless steel surfaces
- cleaning of car engines
- disinfection of production halls and equipment



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

### industry lite acid

5

Symbol	S181.122
Working capacity [l]	5.00
Working pressure[MPa]	0.25
Net weight [kg]	1.35
Dimensions [mm]	200/200/480
Per collecting box [pcs.]	8
Per pallet [pcs.]	112
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008785

more:

[marolex.eu/industry-lite-acid](http://marolex.eu/industry-lite-acid)



# Comparison table

	<i>industry lite acid   5</i>	<i>industry lite alka   5</i>	<i>industry acid   5</i>	<i>industry alka   5</i>
Symbol	S181.122	S191.123	S101.152	S111.153
EAN code	5904235008785	5904235008815	5904235007016	5904235007047
Working capacity [l]	5.00	5.00	5.00	5.00
Dimensions [mm]	200/200/480	200/200/480	220/220/415	220/220/415
Net weight [kg]	1.35	1.35	1.80	1.80
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12

**specialized**





specialized

PRESSURE SPRAYER

***industry*** **lite** | 7

5 | 7 | 9

SPECIALIZED LINE

ACID

S 182.122

PRESSURE SPRAYER

S182.122

# industry **lite** 7

5 | 7 | 9

## ACID

Sprayer **industry lite** is meant for the industry, workshops and car washes. They are also used to eliminate contamination, disinfection and disinfestation.

### PURPOSE

The main purpose of the **industry lite** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- washing and cleaning of rims and tires
- cleaning and degreasing of stainless steel surfaces
- cleaning of car engines
- disinfection of production halls and equipment



specialized

CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

## industry **lite** acid

7

Symbol	S182.122
Working capacity [l]	7.00
Working pressure[MPa]	0.25
Net weight [kg]	1.47
Dimensions [mm]	210/210/520
Per collecting box [pcs.]	6
Per pallet [pcs.]	84
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008792

more:

[marolex.eu/industry-lite-acid](http://marolex.eu/industry-lite-acid)



# Comparison table

	<i>industry lite acid   7</i>	<i>industry lite alka   7</i>	<i>industry acid   7</i>	<i>industry alka   7</i>
Symbol	S182.122	S192.123	S102.152	S112.153
EAN code	5904235008792	5904235008822	5904235007023	5904235007054
Working capacity [l]	7.00	7.00	7.00	7.00
Dimensions [mm]	210/210/520	210/210/520	220/220/470	220/220/470
Net weight [kg]	1.47	1.47	1.90	1.90
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12

**specialized**





*specialized*

PRESSURE SPRAYER

***industry*** ***lite*** | 9

5 | 7 | 9

SPECIALIZED LINE

ACID

S 183.122

PRESSURE SPRAYER

S183.122

# industry lite | 9

5 | 7 | 9

## ACID

Sprayer **industry lite** is meant for the industry, workshops and car washes. They are also used to eliminate contamination, disinfection and disinfestation.

### PURPOSE

The main purpose of the **industry lite** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- washing and cleaning of rims and tires
- cleaning and degreasing of stainless steel surfaces
- cleaning of car engines
- disinfection of production halls and equipment



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

### industry lite acid

9

Symbol	S183.122
Working capacity [l]	9.00
Working pressure[MPa]	0.25
Net weight [kg]	1.60
Dimensions [mm]	220/220/555
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008808

more:

[marolex.eu/industry-lite-acid](http://marolex.eu/industry-lite-acid)



# Comparison table

	<i>industry lite acid   9</i>	<i>industry lite alka   9</i>	<i>industry acid   9</i>	<i>industry alka   9</i>
Symbol	S183.122	S193.123	S103.152	S113.153
EAN code	5904235008808	5904235008839	5904235007009	5904235007061
Working capacity [l]	9.00	9.00	9.00	9.00
Dimensions [mm]	220/220/555	220/220/555	220/220/570	220/220/570
Net weight [kg]	1.60	1.60	2.10	2.10
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*

PRESSURE SPRAYER

***industry*** **lite** | **5**

5 | 7 | 9

SPECIALIZED LINE

 **ALKA**

S 191.123

PRESSURE SPRAYER

S191.123

# industry | 5

**lite**

5 | 7 | 9

## ALKA

Sprayer **industry lite** is made for car washes, workshops, auto detailing and industry, where removing stains from oil and grease is a musthave. This product is irreplaceable when removing stone deposits. This sprayer can be also used to eliminate contamination. Industry lite is perfect for disinfection and disinfestation.

### PURPOSE

**Industry** sprayers alka version, with EPDM seals are intended for the application of alkalis, alcohols, ketones, ethers and organic acids.

### USE

- washing quads, motorcycles or bikes
- application of liquid disinfectants
- cleaning rims and tires



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- Dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

### industry lite alka

5

Symbol	S191.123
Working capacity [l]	5.00
Working pressure[MPa]	0.25
Net weight [kg]	1.35
Dimensions [mm]	200/200/480
Per collecting box [pcs.]	8
Per pallet [pcs.]	112
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008815

more:

[marolex.eu/industry-lite-alka](http://marolex.eu/industry-lite-alka)



# Comparison table

	<i>industry lite acid   5</i>	<i>industry lite alka   5</i>	<i>industry acid   5</i>	<i>industry alka   5</i>
Symbol	S181.122	S191.123	S101.152	S111.153
EAN code	5904235008785	5904235008815	5904235007016	5904235007047
Working capacity [l]	5.00	5.00	5.00	5.00
Dimensions [mm]	200/200/480	200/200/480	220/220/415	220/220/415
Net weight [kg]	1.35	1.35	1.80	1.80
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*

PRESSURE SPRAYER

***industry*** **lite** | **7**

5 | 7 | 9

SPECIALIZED LINE

ALKA

S 192.123

PRESSURE SPRAYER

S192.123

# industry lite | 7

5 | 7 | 9

## ALKA

Sprayer **industry lite** is made for car washes, workshops, auto detailing and industry, where removing stains from oil and grease is a musthave. This product is irreplaceable when removing stone deposits. This sprayer can be also used to eliminate contamination. Industry lite is perfect for disinfection and disinfestation.

### PURPOSE

**Industry** sprayers alka version, with EPDM seals are intended for the application of alkalis, alcohols, ketones, ethers and organic acids.

### USE

- washing quads, motorcycles or bikes
- application of liquid disinfectants
- cleaning rims and tires



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- Dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

### industry lite alka

7

Symbol	S192.123
Working capacity [l]	7.00
Working pressure[MPa]	0.25
Net weight [kg]	1.47
Dimensions [mm]	210/210/520
Per collecting box [pcs.]	6
Per pallet [pcs.]	84
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008822

more:

[marolex.eu/industry-lite-alka](http://marolex.eu/industry-lite-alka)



# Comparison table

	<i>industry lite acid   7</i>	<i>industry lite alka   7</i>	<i>industry acid   7</i>	<i>industry alka   7</i>
Symbol	S182.122	S192.123	S102.152	S112.153
EAN code	5904235008792	5904235008822	5904235007023	5904235007054
Working capacity [l]	7.00	7.00	7.00	7.00
Dimensions [mm]	210/210/520	210/210/520	220/220/470	220/220/470
Net weight [kg]	1.47	1.47	1.90	1.90
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*

PRESSURE SPRAYER

***industry***  
***lite***

**9**

5 | 7 | 9

SPECIALIZED LINE

 **ALKA**

S 193.123



PRESSURE SPRAYER

S193.123

# industry lite | 9

5 | 7 | 9



Sprayer **industry lite** is made for car washes, workshops, auto detailing and industry, where removing stains from oil and grease is a musthave. This product is irreplaceable when removing stone deposits. This sprayer can be also used to eliminate contamination. Industry lite is perfect for disinfection and disinfestation.

#### PURPOSE

**Industry** sprayers alka version, with EPDM seals are intended for the application of alkalis, alcohols, ketones, ethers and organic acids.

#### USE

- washing quads, motorcycles or bikes
- application of liquid disinfectants
- cleaning rims and tires



specialized

#### CONTAINS

- Complete sprayer with shoulder strap
- 130 cm hose with flexible springs
- Dosingvalve wth handle
- Polypropylene modular lance 44 cm with nozzle MR1.5 mm
- User manual with warranty card
- EU Declaration of Conformity

#### industry lite alka

9

Symbol	S193.123
Working capacity [l]	9.00
Working pressure[MPa]	0.25
Net weight [kg]	1.60
Dimensions [mm]	220/220/555
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235008839

more:

[marolex.eu/industry-lite-alka](http://marolex.eu/industry-lite-alka)



# Comparison table

	<i>industry lite acid   9</i>	<i>industry lite alka   9</i>	<i>industry acid   9</i>	<i>industry alka   9</i>
Symbol	S183.122	S193.123	S103.152	S113.153
EAN code	5904235008808	5904235008839	5904235007009	5904235007061
Working capacity [l]	9.00	9.00	9.00	9.00
Dimensions [mm]	220/220/555	220/220/555	220/220/570	220/220/570
Net weight [kg]	1.60	1.60	2.10	2.10
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12

**specialized**





*specialized*

PRESSURE SPRAYER



# industry | 5

5 | 7 | 9 | 12

SPECIALIZED LINE

ACID

S101.152

PRESSURE SPRAYER

S101.152

# industry | 5

5 | 7 | 9 | 12

## ACID

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

### PURPOSE

The main purpose of the **industry** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- neutralization of oils and harmful substances
- disinfection of halls and production devices
- cleaning and maintenance of stainless steel surfaces
- removal of limescale from metal surfaces



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 170 cm hose with flexible springs
- Dosingvalve wth handle
- Telescopic, composite-steel lance 65-115cm with MR 1.5mm nozzle
- Nozzles: flat-jet MF3.0 with adjustable jet angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

### industry acid

5

Symbol	S101.152
Working capacity [l]	5.00
Working pressure[MPa]	0.40
Net weight [kg]	1.80
Dimensions [mm]	220/220/415
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007016

more:

[marolex.eu/industry-acid](http://marolex.eu/industry-acid)



# Comparison table

	<i>industry lite acid   5</i>	<i>industry lite alka   5</i>	<i>industry acid   5</i>	<i>industry alka   5</i>
Symbol	S181.122	S191.123	S101.152	S111.153
EAN code	5904235008785	5904235008815	5904235007016	5904235007047
Working capacity [l]	5.00	5.00	5.00	5.00
Dimensions [mm]	200/200/480	200/200/480	220/220/415	220/220/415
Net weight [kg]	1.35	1.35	1.80	1.80
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*



PRESSURE SPRAYER

*industry* | 7

5 | 7 | 9 | 12

SPECIALIZED LINE

ACID

S102.152

PRESSURE SPRAYER

S102.152

# industry | 7

5 | 7 | 9 | 12

## ACID

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

### PURPOSE

The main purpose of the **industry** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- neutralization of oils and harmful substances
- disinfection of halls and production devices
- cleaning and maintenance of stainless steel surfaces
- removal of limescale from metal surfaces



**specialized**

### CONTAINS

- Complete sprayer with shoulder strap
- 170 cm hose with flexible springs
- Dosingvalve wth handle
- Telescopic, composite-steel lance 65-115cm with MR 1.5mm nozzle
- Nozzles: flat-jet MF3.0 with adjustable jet angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

### industry acid

7

Symbol	S102.152
Working capacity [l]	7.00
Working pressure[MPa]	0.40
Net weight [kg]	1.90
Dimensions [mm]	220/220/470
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007023


more:

[marolex.eu/industry-acid](http://marolex.eu/industry-acid)



# Comparison table

	<i>industry lite acid   7</i>	<i>industry lite alka   7</i>	<i>industry acid   7</i>	<i>industry alka   7</i>
Symbol	S182.122	S192.123	S102.152	S112.153
EAN code	5904235008792	5904235008822	5904235007023	5904235007054
Working capacity [l]	7.00	7.00	7.00	7.00
Dimensions [mm]	210/210/520	210/210/520	220/220/470	220/220/470
Net weight [kg]	1.47	1.47	1.90	1.90
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*

PRESSURE SPRAYER

# industry | 9

5 | 7 | 9 | 12

SPECIALIZED LINE

ACID

S103.152

PRESSURE SPRAYER

S103.152

# industry | 9

5 | 7 | 9 | 12

## ACID

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

### PURPOSE

The main purpose of the **industry** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- neutralization of oils and harmful substances
- disinfection of halls and production devices
- cleaning and maintenance of stainless steel surfaces
- removal of limescale from metal surfaces



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 170 cm hose with flexible springs
- Dosingvalve wth handle
- Telescopic, composite-steel lance 65-115cm with MR 1.5mm nozzle
- Nozzles: flat-jet MF3.0 with adjustable jet angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

### industry acid

9

Symbol	S103.152
Working capacity [l]	9.00
Working pressure[MPa]	0.40
Net weight [kg]	2.10
Dimensions [mm]	220/220/570
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007009

more:

[marolex.eu/industry-acid](http://marolex.eu/industry-acid)



# Comparison table

	<i>industry lite acid   9</i>	<i>industry lite alka   9</i>	<i>industry acid   9</i>	<i>industry alka   9</i>
Symbol	S183.122	S193.123	S103.152	S113.153
EAN code	5904235008808	5904235008839	5904235007009	5904235007061
Working capacity [l]	9.00	9.00	9.00	9.00
Dimensions [mm]	220/220/555	220/220/555	220/220/570	220/220/570
Net weight [kg]	1.60	1.60	2.10	2.10
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





**MAROLEX®**  
EST. 1987

**specialized**

PRESSURE SPRAYER



***industry* | 12**

5 | 7 | 9 | 12

SPECIALIZED LINE

**ACID**

S 104.152

PRESSURE SPRAYER

S104.152

# industry | 12

5 | 7 | 9 | 12

## ACID

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

### PURPOSE

The main purpose of the **industry** series is the application of inorganic acids, degreasing agents, oils and petroleum products.

### USE

- neutralization of oils and harmful substances
- disinfection of halls and production devices
- cleaning and maintenance of stainless steel surfaces
- removal of limescale from metal surfaces



specialized

### CONTAINS

- Complete sprayer with shoulder strap
- 170 cm hose with flexible springs
- Dosingvalve wth handle
- Telescopic, composite-steel lance 65-115cm with MR 1.5mm nozzle
- Nozzles: flat-jet MF3.0 with adjustable jet angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

### industry acid

12

Symbol	S104.152
Working capacity [l]	11.00
Working pressure[MPa]	0.40
Net weight [kg]	2.20
Dimensions [mm]	220/220/600
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007030

more:

[marolex.eu/industry-acid](http://marolex.eu/industry-acid)



# Comparison table

	<i>industry acid   12</i>	<i>industry alka   12</i>
Symbol	S104.152	S114.153
EAN code	5904235007030	5904235007078
Working capacity [l]	11.00	11.00
Dimensions [mm]	220/220/600	220/220/600
Net weight [kg]	2.20	2.20
Working pressure [MPa]	0.40	0.40
Tank warranty [years]	5	5
Types of nozzles	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	170	170
Sealings	VITON	EPDM
Carrying strap	regulated with soft overlay	regulated with soft overlay
Lance [cm]	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9, 12	5, 7, 9, 12





*specialized*

FOAMER

**axel | 2000**

**2000 | 3000**

SPECIALIZED LINE

 **ALKA**

S 121.103



FOAMER

S121.103

# axel | 2000

2000 | 3000

## ALKA

For many people, foam is just bubbles of air, but in our opinion, foam is your new work tool. Thanks to new **axel foamers**, you will look at the foam like we do. You will get from us 3 different foam densities that you can use in an infinite number of applications. We give you the tool to create a pure and shiny world.

### PURPOSE

The main purpose of the **axel alka foamer** is to apply alkaline and neutral foaming agents.

### USE

- washing and care of garden furniture
- washing shower cabins
- washing cars
- washing rims



specialized

### CONTAINS

- Complete foamer with flat-jet nozzle MF4.0
- Additional flat-jet nozzle MF3.0
- Set of 3 foaming inserts
- User manual
- EU Declaration of Conformity

### axel alka

2000

Symbol	S121.103
Working capacity[l]	2.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.64
Dimensions [mm]	260/150/308
Per collecting box [pcs.]	4
Per pallet [pcs.]	410/400/360
Collecting box dimensions [mm]	120
EAN code	5904235006200

more:

[marolex.eu/axel-foamer](http://marolex.eu/axel-foamer)





*specialized*

FOAMER

**axel | 3000**

2000 | **3000**

SPECIALIZED LINE

 **ALKA**

S 122.103



FOAMER

S122.103

# axel | 3000

2000 | 3000

## ALKA

For many people, foam is just bubbles of air, but in our opinion, foam is your new work tool. Thanks to new **axel foamers**, you will look at the foam like we do. You will get from us 3 different foam densities that you can use in an infinite number of applications. We give you the tool to create a pure and shiny world.

### PURPOSE

The main purpose of the **axel alka foamer** is to apply alkaline and neutral foaming agents.

### USE

- washing and care of garden furniture
- washing shower cabins
- washing cars
- washing rims



**specialized**

### CONTAINS

- Complete foamer with flat-jet nozzle MF4.0
- Additional flat-jet nozzle MF3.0
- Set of 3 foaming inserts
- User manual
- EU Declaration of Conformity

### axel alka

**3000**

Symbol	S122.103
Working capacity[l]	3.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.65
Dimensions [mm]	260/165/340
Per collecting box [pcs.]	4
Per pallet [pcs.]	410/400/360
Collecting box dimensions [mm]	120
EAN code	5904235006217

more:

[marolex.eu/axel-foamer](http://marolex.eu/axel-foamer)





*specialized*

FOAMER

**axel** | 7

7

SPECIALIZED LINE

ALKA

S 123.133



FOAMER

S123.133

# axel | 7

7

## ALKA


For many people, foam is just bubbles of air, but in our opinion, foam is your new work tool. Thanks to new **axel** foamers, you will look at the foam like we do. You will get from us 3 different foam densities that you can use in an infinite number of applications. We give you the tool to create a pure and shiny world..

### PURPOSE

The main purpose of the **axel alka** foamer is to apply alkaline and neutral foaming agents.

### USE

- washing and care of garden furniture
- washing shower cabins
- washing cars
- ashing rims



specialized

### CONTAINS

- Complete foamer with shoulder strap
- 170 cm hose with flexible springs
- Dosing valve with handle
- Steel lance 60 cm with flat-jet nozzle MF4.0
- Additional flat-jet nozzle MF3.0
- 3 foaming inserts set
- funnel with sieve
- gaskets, silicone grease

### axel alka

7

Symbol	S123.133
Working capacity[l]	7.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	1.90
Dimensions [mm]	220/220/470
Per collecting box [pcs.]	1
Per pallet [pcs.]	230/230/630
Collecting box dimensions [mm]	50
EAN code	5904235006378

more:

[marolex.eu/axel-7-foam-sprayer](http://marolex.eu/axel-7-foam-sprayer)





*specialized*

FOAMER

**axel**  
*foamer* | **2000**

**2000**

SPECIALIZED LINE

**ACID**

S 124.102



FOAMER

S124.102

# axel | 2000

**foamer**

**2000**

## ACID

For many people, foam is just bubbles of air, but in our opinion, foam is your new work tool. Thanks to new **axel** foamers, you will look at the foam like we do. You will get from us 3 different foam densities that you can use in an infinite number of applications. We give you the tool to create a pure and shiny world.

### PURPOSE

The main purpose of the **axel** acid foamer is to apply acidic inorganic foaming agents.

### USE

- pre-washing of cars, rims, engine compartments
- cleaning of signs and roadside elements
- cleaning of ovens, butcher tables, coolers
- cleaning of facades, construction equipment
- washing of windows, tiles, garden equipment



**specialized**

### CONTAINS

- Complete foamer with flat-jet nozzle MF4.0
- Additional flat-jet nozzle MF3.0
- Set of 3 foaming inserts
- User manual
- EU Declaration of Conformity

### axel acid

**2000**

Symbol	S124.102
Working capacity[l]	2.00
Working pressure[MPa]	0.40
Sealings	VITON
Warranty on the tank [years]	5
Net weight [kg]	0.64
Dimensions [mm]	260/150/308
Per collecting box [pcs.]	4
Per pallet [pcs.]	410/400/360
Collecting box dimensions [mm]	120
EAN code	5904235008112

*more:*

[marolex.eu/axel-foamer](http://marolex.eu/axel-foamer)





*specialized*

HAND PRESSURE SPRAYER



# *industry* | **1000**

**1000 | 1500 | 2000 | 3000**

SPECIALIZED LINE

 **ALKA**

S091.103





HAND PRESSURE SPRAYER

S091.103

# industry | 1000 ergo

1000 | 1500 | 2000 | 3000

## ALKA

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### PURPOSE

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### USE

- disinfection of devices
- disinfection of machines
- washing car windows
- washing windows
- washing rims
- car paint care



specialized

### CONTAINS

- Complete sprayer with adjustable nozzle MR1.5 mm
- Additional adjustable nozzle MR1.0 mm
- User manual with warranty card

## industry ergo alka

1000

Symbol	S091.103
Working capacity[l]	1.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.50
Dimensions [mm]	260/138/258
Per collecting box [pcs.]	12
Per pallet [pcs.]	585/455/280
Collecting box dimensions [mm]	288
EAN code	5904235006118

more:

[marolex.eu/industry-ergo-alka-sprayer](http://marolex.eu/industry-ergo-alka-sprayer)





specialized

HAND PRESSURE SPRAYER



# industry ergo | 1500

1000 | 1500 | 2000 | 3000

SPECIALIZED LINE

ALKA

S092.103



HAND PRESSURE SPRAYER

S092.103

# industry | 1500 ergo

1000 | 1500 | 2000 | 3000

 **ALKA**

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

#### PURPOSE

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

#### USE

- disinfection of devices
- disinfection of machines
- washing car windows
- washing windows
- washing rims
- car paint care



**specialized**

#### CONTAINS

- Kompletny opryskiwacz z regulowaną dyszą MR1.5 mm
- Dodatkowa dysza płaskostrumieniowa MF3.0
- Instrukcja obsługi z kartą gwarancyjną

#### industry ergo alka

**1500**

Symbol	S092.103
Working capacity [l]	1.50
Working pressure [MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.51
Dimensions [mm]	260/150/276
Per collecting box [pcs.]	12
Per pallet [pcs.]	625/460/300
Collecting box dimensions [mm]	288
EAN code	5904235006125

Więcej na:

[marolex.pl/industry-ergo-alka](http://marolex.pl/industry-ergo-alka)





*specialized*

HAND PRESSURE SPRAYER

# *industry* **ergo** | 2000

1000 | 1500 | **2000** | 3000

SPECIALIZED LINE

 **ALKA**

S093.103



HAND PRESSURE SPRAYER

S093.103

# industry | 2000

ergo

1000 | 1500 | **2000** | 3000

## ALKA


With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### PURPOSE

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### USE

- disinfection of devices
- disinfection of machines
- washing car windows
- washing windows
- washing rims
- car paint care



### specialized

### CONTAINS

- Kompletny opryskiwacz z regulowaną dyszą MR1.5 mm
- Dodatkowa dysza płaskostrumieniowa MF3.0
- Instrukcja obsługi z kartą gwarancyjną

### industry ergo alka

**2000**

Symbol	S093.103
Working capacity[l]	2.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.60
Dimensions [mm]	260/150/308
Per collecting box [pcs.]	12
Per pallet [pcs.]	600/475/325
Collecting box dimensions [mm]	288
EAN code	5904235006132

Więcej na:

[marolex.pl/industry-ergo-alka](http://marolex.pl/industry-ergo-alka)





*specialized*

HAND PRESSURE SPRAYER

# *industry* | 3000

1000 | 1500 | 2000 | **3000**

SPECIALIZED LINE

 **ALKA**

S094.103



HAND PRESSURE SPRAYER

S094.103

# industry | 3000

ergo

1000 | 1500 | 2000 | 3000

## ALKA

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### PURPOSE

With the introduction of the ergo series, the industry has gained an amazing tool. An alkali-proof sprayer that is also light and handy. You do not need anything more anymore.

### USE

- disinfection of devices
- disinfection of machines
- washing car windows
- washing windows
- washing rims
- car paint care



### specialized

- Kompletny opryskiwacz z regulowaną dyszą MR1.5 mm
- Dodatkowa dysza płaskostrumieniowa MF3.0
- Instrukcja obsługi z kartą gwarancyjną

## industry ergo alka


3000

Symbol	S094.103
Working capacity[l]	3.00
Working pressure[MPa]	0.40
Sealings	EPDM
Warranty on the tank [years]	5
Net weight [kg]	0.64
Dimensions [mm]	260/165/340
Per collecting box [pcs.]	9
Per pallet [pcs.]	505/500/360
Collecting box dimensions [mm]	189
EAN code	5904235006170

Więcej na:

[marolex.pl/industry-ergo-alka](http://marolex.pl/industry-ergo-alka)







## BATTERY SPRAYER

S132.153

# fx

7

**X-LINE**<sup>TM</sup>

**ALKA**

Battery sprayer **fx alka** is equipped with a replaceable panel with li-ion batteries, which allows for many hours of trouble-free operation. Our electric sprayer is designed for professional use with alkaline, as well as alcohol disinfectants.

### PURPOSE

The main purpose of the sprayer is to apply mild detergents and cleaning agents with a neutral or alkaline pH

### USE

- disinfection of machines and devices
- disinfestation
- application of cleaning agents
- neutralization of oils



### specialized

### CONTAINS

- Complete sprayer with shoulder strap with soft overlay
- 170 cm hose with flexible springs
- dosing valve with handle
- Battery 3.4 mAh with control panel
- Charger 12.V / 3A
- Lance 65-115 cm with regulated nozzle MR1.5 mm
- nozzles: regulated MR1.0 mm, regulated MR2.0 mm, Flat-jet MF3.0
- gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

### fx alka

7

Symbol	S132.153	Working time [h]	3
Working capacity[l]	7.00	Pump flow L/min.]	2.00
Working pressure[MPa]	0.38	Type of battery	Li-ion
Net weight [kg]	3.35	Per collecting box [pcs.]	1
Dimensions [mm]	170/380/350	Per pallet [pcs.]	30
		Collecting box dimen. [mm]	400/240/590
		Battery endurance [cycles]	1800
		Battery capacity [mAh]	3400
		EAN code	5904235006842

Więcej na:

[marolex.eu/fx-alka-battery-sprayer](http://marolex.eu/fx-alka-battery-sprayer)



# Comparison table

	<b>fx</b>	<b>rx</b>	<b>vx</b>
Symbol	S132.153	S142.153	S152.153
EAN code	5904235006842	5904235006903	5904235006910
Working capacity [l]	7.00	12.00	20.00
Dimensions [mm]	170/380/350	340/240/640	400/350/910
Net weight [kg]	3.35	6.80	8.20
Working pressure [MPa]	0.38	0.38	0.38
Battery type	battery type	battery type	battery type
Tank warranty [years]	5	5	5
Types of nozzles	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0
Hose [cm]	170	170	250
Sealings	EPDM	EPDM	EPDM
Carrying strap	regulated with soft overlay	frame with belts	wheels
Lance [cm]	composite-steel 65-115	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	7	12	20

**specialized**





**MAROLEX®**  
EST. 1987



*specialized*

BATTERY SPRAYER

**rx**

12

SPECIALIZED LINE

**X-LINE™**  
LI-ION

**ALKA**

S 142.153



BATTERY SPRAYER

S142.153

# rx

12

**X-LINE™**  
LI-ION

**ALKA**

If you are looking for a professional sprayer, designed for disinfection and disinfestation, which has a replaceable pack with a 3400 mAh lithium-ion battery, guarantees over 5 hours of trouble-free operation, and a specially designed frame that does not overload the spine, making long hours of work not only comfortable but also safe, then **rx alka** is the sprayer for you.

#### PURPOSE

The main purpose of the sprayer is to apply mild detergents and cleaning agents with a neutral or alkaline pH.

#### USE

- disinfection of machines and devices
- disinfestation
- application of cleaning agents
- neutralization of oils



**specialized**

#### CONTAINS

- Complete sprayer with a frame
- 170 cm hose with flexible springs
- Dosing valve with handle
- Battery 3.4 mAh with control panel
- Charger 12.V / 3A
- Lance 65-115 cm with regulated nozzle MR1.5 mm
- Nozzles: regulated MR1.0 mm, regulated MR2.0 mm, Flat-jet MF3.0
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

**rx alka**

12

Symbol	S142.153	Working time[h]	5
Working capacity[l]	12.00	Pump flow	
Working pressure[MPa]	0.38	L/min.]	2.00
Net weight [kg]	6.80	Type of battery	Li-ion
Dimensions [mm]	340/240/640	Battery endurance [cycles]	1800
Per collecting box [pcs.]	1	Battery capacity [mAh]	3400
Per pallet [pcs.]	18	EAN code	5904235006903
Collecting box dimen. [mm]	360/360/700		

more:

[marolex.eu/rx-alka-battery-sprayer/](http://marolex.eu/rx-alka-battery-sprayer/)



# Comparison table

	<b>fx</b>	<b>rx</b>	<b>vx</b>
Symbol	S132.153	S142.153	S152.153
EAN code	5904235006842	5904235006903	5904235006910
Working capacity [l]	7.00	12.00	20.00
Dimensions [mm]	170/380/350	340/240/640	400/350/910
Net weight [kg]	3.35	6.80	8.20
Working pressure [MPa]	0.38	0.38	0.38
Battery type	battery type	battery type	battery type
Tank warranty [years]	5	5	5
Types of nozzles	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0
Hose [cm]	170	170	250
Sealings	EPDM	EPDM	EPDM
Carrying strap	regulated with soft overlay	frame with belts	wheels
Lance [cm]	composite-steel 65-115	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	7	12	20





*specialized*

BATTERY SPRAYER

**VX**

20

SPECIALIZED LINE

**X-LINE™**  
LI-ION

**ALKA**

S 152.153





BATTERY SPRAYER

S152.153

# VX

20

**X-LINE™**  
LI-ION

**ALKA**

Nasz największy opryskiwacz jest po prostu imponujący. Ponad przeciętna pojemność, wyjątkowa mobilność, długie wąż, a przede wszystkim wydajna pompa. **VX** to czysta moc i zero kompromisów.

#### PURPOSE

The main purpose of the sprayer is to apply mild detergents and cleaning agents with a neutral or alkaline pH.

#### USE

- dezynfekcja maszyn i urządzeń
- dezynsekcja
- aplikacja środków myjących
- neutralizacja olejów



**specialized**

#### CONTAINS

- Complete sprayer on wheels
- 170 cm hose with flexible springs
- Dosing valve with handle
- Battery 3.4 mAh with control panel
- Charger 12.V / 3A
- Lance 65-115 cm with regulated nozzle MR1.5 mm
- Nozzles: regulated MR1.0 mm, regulated MR2.0 mm, Flat-jet MF3.0
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

**vx alka**

20

Symbol	S152.153	Working time [h]	5
Working capacity[l]	20.0	Pump flow [L/min.]	2.00
Working pressure[MPa]	0.38	Track width [cm]	28
Net weight [kg]	8.20	Type of battery	Li-ion
Dimensions [mm]	400/350/910		
Per collecting box [pcs.]	1	Battery endurance [cycles]	1800
Per pallet [pcs.]	12	Battery capacity [mAh]	3400
Collecting box dimen. [mm]	440/380/930	EAN code	5904235006910

more:

[marolex.eu/vx-alka-electric-sprayer/](http://marolex.eu/vx-alka-electric-sprayer/)



# Comparison table

	<b>fx</b>	<b>rx</b>	<b>vx</b>
Symbol	S132.153	S142.153	S152.153
EAN code	5904235006842	5904235006903	5904235006910
Working capacity [l]	7.00	12.00	20.00
Dimensions [mm]	170/380/350	340/240/640	400/350/910
Net weight [kg]	3.35	6.80	8.20
Working pressure [MPa]	0.38	0.38	0.38
Battery type	Li-ion	Li-ion	Li-ion
Tank warranty [years]	5	5	5
Types of nozzles	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0	MR1.0; MR1.5; MR2.0; MF3.0
Hose [cm]	170	170	250
Sealings	EPDM	EPDM	EPDM
Carrying strap	regulated with soft overlay	frame with belts	wheels
Lance [cm]	composite-steel 65-115	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	7	12	20

**specialized**





*specialized*

PRESSURE SPRAYER



# industry | 5

5 | 7 | 9 | 12

SPECIALIZED LINE

ALKA

S 111.153





PRESSURE SPRAYER

S111.153

# industry | 5

5 | 7 | 9 | 12



Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

## PURPOSE

The main purpose of **Industry** ergo alka series is the application of alkalis, alcohols, ketones, ethers and organic acids.

## USE

- neutralization of oils and harmful substances
- disinfection
- application of liquid disinfectants
- washing car varnish
- wall impregnation



specialized

## CONTAINS

- Complete sprayer with comfortable carrying strap
- 170 cm hose with flexible springs
- Dosing valve with handle
- Telescopic composite-steel lance 65-115cm with regulated nozzle MR 1.5 mm
- Nozzles: flat-jet MF3.0, with adjustable jet-angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

## industry alka

5

Symbol	S111.153
Working capacity[l]	5.00
Working pressure[MPa]	0.40
Net weight [kg]	1.80
Dimensions [mm]	220/220/415
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007047

more:

[marolex.eu/industry-alka-sprayer](http://marolex.eu/industry-alka-sprayer)



# Comparison table

	<i>industry lite acid   5</i>	<i>industry lite alka   5</i>	<i>industry acid   5</i>	<i>industry alka   5</i>
Symbol	S181.122	S191.123	S101.152	S111.153
EAN code	5904235008785	5904235008815	5904235007016	5904235007047
Working capacity [l]	5.00	5.00	5.00	5.00
Dimensions [mm]	200/200/480	200/200/480	220/220/415	220/220/415
Net weight [kg]	1.35	1.35	1.80	1.80
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12

**specialized**





*specialized*

PRESSURE SPRAYER

# industry | 7

5 | 7 | 9 | 12

SPECIALIZED LINE

ALKA


S 112.153





# Comparison table

	<i>industry lite acid   7</i>	<i>industry lite alka   7</i>	<i>industry acid   7</i>	<i>industry alka   7</i>
Symbol	S182.122	S192.123	S102.152	S112.153
EAN code	5904235008792	5904235008822	5904235007023	5904235007054
Working capacity [l]	7.00	7.00	7.00	7.00
Dimensions [mm]	210/210/520	210/210/520	220/220/470	220/220/470
Net weight [kg]	1.47	1.47	1.90	1.90
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





*specialized*

PRESSURE SPRAYER

# industry | 9

5 | 7 | 9 | 12

SPECIALIZED LINE

ALKA

S 113.153

PRESSURE SPRAYER

S113.153

# industry | 9

5 | 7 | 9 | 12

ALKA

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

#### PURPOSE

The main purpose of **Industry** ergo alka series is the application of alkalis, alcohols, ketones, ethers and organic acids.

#### USE

- neutralization of oils and harmful substances
- disinfection
- application of liquid disinfectants
- washing car varnish
- wall impregnation



specialized

#### CONTAINS

- Complete sprayer with comfortable carrying strap
- 170 cm hose with flexible springs
- Dosing valve with handle
- Telescopic composite-steel lance 65-115cm with regulated nozzle MR 1.5 mm
- Nozzles: flat-jet MF3.0, with adjustable jet-angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

#### industry alka

9

Symbol	S113.153
Working capacity[l]	9.00
Working pressure[MPa]	0.40
Net weight [kg]	2.10
Dimensions [mm]	220/220/570
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007061

more:

[marolex.eu/industry-alka-sprayer](http://marolex.eu/industry-alka-sprayer)



# Comparison table

	<i>industry lite acid   9</i>	<i>industry lite alka   9</i>	<i>industry acid   9</i>	<i>industry alka   9</i>
Symbol	S183.122	S193.123	S103.152	S113.153
EAN code	5904235008808	5904235008839	5904235007009	5904235007061
Working capacity [l]	9.00	9.00	9.00	9.00
Dimensions [mm]	220/220/555	220/220/555	220/220/570	220/220/570
Net weight [kg]	1.60	1.60	2.10	2.10
Working pressure [MPa]	0.25	0.25	0.40	0.40
Tank warranty [years]	3	3	5	5
Types of nozzles	MR1.5	MR1.5	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	130	130	170	170
Sealings	VITON	EPDM	VITON	EPDM
Carrying strap	regulated	regulated	regulated with soft overlay	regulated with soft overlay
Lance [cm]	polypropylene 44	polypropylene 44	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9	5, 7, 9	5, 7, 9, 12	5, 7, 9, 12





specialized

OPRYSKIWACZ CIŚNIENIOWY

# industry | 12

5 | 7 | 9 | 12

SPECIALIZED LINE

ALKA

S 114.153

OPRYSKIWACZ CIŚNIENIOWY

S114.153

# industry | 12

5 | 7 | 9 | 12

 ALKA

Heavy **industry** and aggressive chemistry require durability at the highest level. Regardless of pH, our industry sprayers are unbeatable. Resilience and safety are our priority when working with hazardous chemicals.

#### PURPOSE

The main purpose of **Industry** ergo alka series is the application of alkalis, alcohols, ketones, ethers and organic acids.

#### USE

- neutralization of oils and harmful substances
- disinfection
- application of liquid disinfectants
- washing car varnish
- wall impregnation



**specialized**

#### CONTAINS

- Complete sprayer with comfortable carrying strap
- 170 cm hose with flexible springs
- Dosing valve with handle
- Telescopic composite-steel lance 65-115cm with regulated nozzle MR 1.5 mm
- Nozzles: flat-jet MF3.0, with adjustable jet-angle MR1.0 mm
- Funnel with sieve
- Gaskets, silicone grease
- User manual with warranty card
- EU Declaration of Conformity

#### industry alka

12

Symbol	S114.153
Working capacity[l]	11.00
Working pressure[MPa]	0.40
Net weight [kg]	2.20
Dimensions [mm]	220/220/600
Per collecting box [pcs.]	4
Per pallet [pcs.]	56
Collecting box dimensions [mm]	480/450/700
EAN code	5904235007078

more:

[marolex.eu/industry-alka-sprayer](http://marolex.eu/industry-alka-sprayer)



# Comparison table

	<i>industry acid   12</i>	<i>industry alka   12</i>
Symbol	S104.152	S114.153
EAN code	5904235007030	5904235007078
Working capacity [l]	11.00	11.00
Dimensions [mm]	220/220/600	220/220/600
Net weight [kg]	2.20	2.20
Working pressure [MPa]	0.40	0.40
Tank warranty [years]	5	5
Types of nozzles	MR1.5; MR1.0; MF3.0	MR1.5; MR1.0; MF3.0
Hose [cm]	170	170
Sealings	VITON	EPDM
Carrying strap	regulated with soft overlay	regulated with soft overlay
Lance [cm]	composite-steel 65-115	composite-steel 65-115
Type of valve	dosing valve with handle	dosing valve with handle
Available capacities [l]	5, 7, 9, 12	5, 7, 9, 12

**specialized**

